

- DHSS/WO (1976) Technical Memorandum No. 27. Cold Water Supply Storage and Mains Distribution. London, Department of Health and Social Security and Welsh Office.
- DoE (1989) Code of Practice for the Agricultural Use of Sewage Sludge. Department of the Environment, London, HMSO.
- DoE/DH (1990) Cryptosporidium in water supplies (Chairman of Working Party: Sir John Badenoch). Department of the Environment and Department of Health. London, HMSO.
- DoE/WO/SO (1993) Manual on Treatment of Private Water Supplies, London, HMSO.
- DRAKE, C.H. (1966) Evaluation of culture media for the isolation and enumeration of *Pseudomonas aeruginosa*. Health Laboratory Science, **3**, 10–19.
- DT (1986) Recommendations to prevent contamination of ships freshwater storage and distribution systems. Merchant Shipping Notice No. M. 1214. London, Department of Transport.
- DWI 1992—*Cryptosporidium* in Water Supplies—Progress with the National Research Programme. DWI 1990
- DWI 1994. Information Letter 1/94, "Sampling from service reservoirs"
- EDEL, W. & KAMPELMACHER, E.H. (1973) Comparative studies on the isolation of 'sub-lethally injured' *Salmonellae* in nine European laboratories. Bulletin of the World Health Organization, **48**, 167–174
- EDWARDS, P.R. & FIFE, M.A. (1961) Lysine-iron agar in the detection of Arizona cultures. Applied Microbiology, **9**, 478–480
- EISENHART, C. & WILSON, P.W. (1943) Statistical methods and control in bacteriology. Bacteriological Reviews, **7**, 57–137
- FENG, P.C.S. & HARTMAN, P.A. (1982) Fluorogenic assay for immediate confirmation of *Escherichia coli*. Applied and Environmental Microbiology, **43**, 1320–1329
- GELDREICH, E.E., (1977) Bacterial population and indicator concepts in faeces, sewage, stormwater and solid wastes. In: Indicators of Virus in Water and Food, 51–97. (Editor Berg, G). Ann Arbor, Michigan, Ann Arbor Sciences.
- GELDREICH, E.E., TAYLOR, R.H., BLANNON, J.C. & REASONER, D.J. (1985) Bacterial colonization of point-of-use water treatment devices. Journal of the American Waterworks Association, **77**, 72–80.
- GEORGE, H.A., HOFFMAN, P.S., SHIBERT, R.M. & KREIG, N.R. (1978) Improved media for growth and aerotolerance of *Campylobacter fetus*. Journal of Clinical Microbiology, **8**, 36–41.
- GIBBS, B.M. & FREAME, B. (1965) Methods for the recovery of Clostridia from foods. Journal of Applied Bacteriology, **28**, 95–111.
- GRABOW, W.O.K. & COUBROUGH, P. (1986) Practical direct plaque assay for coliphages in 100 mL samples of drinking water. Applied and Environmental Microbiology, **52**, 430–433.
- GRAY, R.D. (1964) An improved formate lactose glutamate medium for the detection of *Escherichia coli* and other coliform organisms from water. Journal of Hygiene, **62**, 495–508.
- GREENWOOD, M.H. (1993) Comparison of enrichment at 9°C and 21°C for recovery of *Yersinia* species from food and milk. Food Microbiology, **10**, 23–30.
- GUTHOF, D. (1957) Streptokoken und Dysbakterie-Problem. Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene, Erste Abteilung, Originale, **170**, 327–333.
- HALL, T. & HYDE, R. (1992) Water Treatment Processes and Practice. Swindon, Water Research Centre.
- HAMMARSTROM, E. & LJUTOV, V. (1954) Concentration technique for demonstrating small amounts of bacteria in tap-water. Acta Pathologica et Microbiologica Scandinavica, **35**, 365–369.
- HANDFORD, P.M. (1974) A new medium for the detection and enumeration of *Clostridium perfringens* in foods. Journal of Applied Bacteriology, **37**, 559–570.

- HARMON, P.L., STUART, P. & MAWER, S.L. (1991) Cefsulodin as a selective agent for the isolation of *Salmonella* from materials heavily contaminated with *Pseudomonas* species. *PHLS Microbiology Digest*, **8**, 67–69.
- HARMON, S.M., KAUTTER, D.A. & PEELER, J.T. (1971) Improved medium for the enumeration of *Clostridium perfringens*. *Applied Microbiology*, **27**, 688–692.
- HAUSCHILD, A.H.W. & HILLSHEIMER, R. (1974) Enumeration of foodborne *Clostridium perfringens* in egg yolk free tryptose-sulphite-cycloserine agar. *Applied Microbiology*, **27**, 521–526.
- HAVELAAR, A.H., DURING, M. & VERSTEEGHT, J.F.M. (1987) Ampicillin-dextrin agar medium for the enumeration of *Aeromonas* species in water by membrane filtration. *Journal of Applied Bacteriology*, **62**, 279–287.
- HAVELAAR, A.H., FURUSE, K. & HOGEBOOM, W.M. (1986) Bacteriophages and indicator bacteria in human and animal faeces. *Journal of Applied Bacteriology*, **60**, 255–262.
- HAVELAAR, A.H. & HOGEBOOM, W.M. (1984) A method for the enumeration of male-specific bacteriophages in sewage. *Journal of Applied Bacteriology*, **56**, 439–447.
- HOBBIE, J.E., DALEY, R.J. & JASPER, S. (1977) Use of Nucleopore filters for counting bacteria by fluorescence microscopy. *Applied and Environmental Microbiology*, **33**, 1225–1228.
- HOBBS, B.C. & ALLISON, V.D. (1945a) Studies on the isolation of *Bact. typhosum* and *Bact. paratyphosum* B. Part I. *Monthly Bulletin of the Ministry of Health and Public Health Laboratory Service*, **4**, 12–19.
- HOBBS, B.C. & ALLISON, V.D. (1945b) Studies on the isolation of *Bact. typhosum* and *Bact. paratyphosum* B. Part III. *Monthly Bulletin of the Ministry of Health and the Public Health Laboratory Service*, **4**, 63–68.
- HOLDEN, W.S. ed. (1970) *Water treatment and examination*. London, Churchill.
- HSAC (1991a) *Safety in Health Service Laboratories—Safe working and the prevention of infection in clinical laboratories*. Health Services Advisory Committee. London, HMSO.
- HSAC (1991b) *Safety in Health Service Laboratories—Safe working and the prevention of infection in clinical laboratories—model rules for staff and visitors*. Health Services Advisory Committee. London, HMSO.
- HSE (1991) *The control of legionellosis including Legionnaires' disease*. Health and Safety Executive Series Booklet HS(G)70. London, HMSO.
- HUGH, R. & LEIFSON, E. (1953) The taxonomic significance of fermentative versus oxidative metabolism of carbohydrates by various Gram negative bacteria. *Journal of Bacteriology*, **66**, 24–26.
- HURLEY, M.A. & ROSCOE, M.E. (1983) Automated statistical analysis of microbial enumeration by dilution series. *Journal of Applied Bacteriology*, **55**, 159–164.
- HUTCHINSON, M. & RIDGWAY, J.W. (1977). *Microbiological Aspects of Drinking Water Supplies*. In: *Aquatic Microbiology* (Editors Skinner F.A. & Shewan J.M.). Society for Applied Bacteriology Symposium Series No.6, 179–218. London, Academic Press.
- IAMS (1958) Report of the Enterobacteriaceae Subcommittee of the Nomenclature Committee of the International Association of Microbiological Societies. *International Bulletin of Bacterial Nomenclature and Taxonomy*, **8**, 25–70.
- IARC (1991) *Monograph on the Evaluation of Carcinogenic Risks to Humans, Volume 532—Chlorinated Drinking Water; chlorination by-products; some other halogenated compounds; cobalt and cobalt compounds*. Lyon, World Health Organization International Agency for Research on Cancer.
- IAWPRC (1991) *Bacteriophages as model viruses in water quality control*. International Association for Water Pollution Research and Control Study Group on Health Related Water Microbiology. *Water Research*, **25**, 529–545.
- ICMSF (1978) *Micro-organisms in foods 1. Their significance and methods of enumeration*, 2nd edition. International Commission on Microbiological Specification for Food. Toronto, University of Toronto Press.

- ISO (1986) Quality-Vocabulary (ISO/IEC Standard 8402). International Organization for Standardization.
- KAMPFER, P., RAUHOFF, O. & DOTT, W. (1991) Glycosidase profiles of members of the family Enterobacteriaceae. *Journal of Clinical Microbiology*, **29**, 2877-2879.
- KAPER, J.B., SEIDLER, R.J., LOCKMAN, H. & COLWELL, R.R. (1979) Medium for the presumptive identification of *Aeromonas hydrophila* and Enterobacteriaceae. *Applied and Environmental Microbiology*, **38**, 1023-1026.
- KING, S., & METZGER, W.I. (1968) A new plating medium for the isolation of enteric pathogens I. Hektoen enteric agar. II. Comparison of Hektoen enteric agar with SS and EMB agar. *Applied Microbiology*, **16**, 577-581.
- KOBAYASHI, T., ENOMOTO, S., SAKAZAKI, R. & KUWAHARA, S. (1963) A new selective medium for pathogenic vibrios, TCBS agar (modified Nakanishi's agar). *Japanese Journal of Bacteriology*, **18**, 387-411.
- KOTT, Y., BEN-ARI, H., & VINOKUR, L. (1978) Coliphages survival as viral indicator in various wastewater quality effluents. *Progress in Water Technology*, **10**, 337-346.
- KOTT, Y., ROZE, N., SPERBER, S. & BETZER, N. (1974) Bacteriophages as viral pollution indicators. *Water Research*, **8**, 165-171.
- KOVACS, N. (1928) Eine vereinfachte Methods zum Nachweis der Indolbildung durch Bakterien. *Zeitschrift fur Immunitatsforschung und experimentelle Therapie*, **55**, 311-315.
- LANDER, K. & GILL, K.P.W. (1985) Campylobacters. In: *Isolation and Identification of Micro-organisms of Medical and Veterinary Importance* (Editors, Collins C.H. & Grange J.M.). Society for Applied Bacteriology Technical Series No. 6, 123-142. London, Academic Press.
- LECHEVALLIER, M.W., CAWTHON, C.D. & LEE, R.G. (1988) Inactivation of biofilm bacteria. *Applied and Environmental Microbiology*, **54**, 2492-2499.
- Le MINOR, L., ROHDE, R. & TAYLOR, J. (1970) Nomenclature des Salmonella. *Annales Institut Pasteur, Microbiologie* **119**, 206-210.
- LIGHTFOOT, N.F., TILLET, H.E., BOYD, P. & EATON, S., (1994) Duplicate split samples for internal quality control in routine water microbiology. *Letters in Applied Microbiology*, **19**.
- MAFF/WOAD (1985) Code of Good Agricultural Practice. London, Ministry of Agriculture, Fisheries and Food and Welsh Office Agriculture Department.
- MAIR, N.S., & FOX, E. (1986) Yersiniosis: Lab diagnosis, Clinical Features, Epidemiology. London, Public Health Laboratory Service.
- MALLMAN, W.L. & SELIGMANN, E.B. (1950) A comparative study of media for the detection of streptococci in water and sewage. *American Journal of Public Health*, **40**, 286-289.
- MAN, J.C. de (1975) The probability of most probable numbers. *European Journal of Applied Microbiology*, **1**, 67-78.
- MARA, D.D. & ORAGUI, J.I. (1981) Occurrence of *Rhodococcus coprophilus* and associated actinomycetes in faeces, sewage and freshwater. *Applied and Environmental Microbiology*, **42**, 1037-1042.
- MARA, D.D. & ORAGUI, J.I. (1983) Sorbitol fermenting bifidobacteria as specific indicators of human faecal pollution. *Journal of Applied Bacteriology*, **55**, 349-358.
- MARA, D.D. & ORAGUI, J.I. (1985) Bacteriological methods for distinguishing between human and animal faecal pollution of water: results of field work in Nigeria and Zimbabwe. *Bulletin of the World Health Organization*, **63**, 773-783.
- McCOY, J.H. & SPAIN, G.E. (1969) Bismuth sulphite media in the isolation of Salmonellae. In: *Isolation Methods for Microbiologists* (Editors, Shapton D.A. & Gould G.W.). Society for Applied Bacteriology Technical Series No. 3, 17-27. London, Academic Press.
- McCRADY, M.H. (1915) The numerical interpretation of fermentation-tube results. *Journal of Infectious Diseases*, **17**, 183-212.

- McCRADY, M.H. (1918) Tables for rapid interpretation of fermentation-tube results. *Public Health Journal, Toronto*, **9**, 201–220.
- MEAD, G.C. (1964) Isolation and significance of *Streptococcus faecalis* sensu stricto. *Nature, London*, **204**, 1224–1225.
- MEAD, G. C., ADAMS, B. W., (1977) A selective medium for the rapid isolation of Pseudomonads associated with poultry meat spoilage. *British Poultry Science*, **18**, 661–670.
- MOORE, B. (1948) The detection of paratyphoid carriers in towns by means of sewage examination. *Monthly Bulletin of the Ministry of Health and Public Health Laboratory Service*, **7**, 241–248.
- MOORE, B. (1950) The detection of typhoid carriers in towns by means of sewage examination. *Monthly Bulletin of the Ministry of Health and Public Health Laboratory Service*, **9**, 72–78.
- MOORE, B., PERRY, E.L. & CHARD, S.T. (1952) A survey by the sewage swab method of latent enteric infection in an urban area. *Journal of Hygiene*, **50**, 137–156.
- MOSSEL, D.A.A. (1982) *Microbiology of foods: The ecological essentials of assurance and assessment of safety and quality*. Utrecht, University of Utrecht.
- NRA (1992) *Policy and Practice for the Protection of Groundwater*. Bristol, National Rivers Authority.
- NWC (1983) *Safety in microbiology laboratories in the water industry*, by the NWC Microbiological Working Group. London, National Water Council.
- ORAGUI, J.I. & MARA, D.D. (1981) A selective medium for the enumeration of *Streptococcus bovis* by membrane filtration, *Journal of Applied Bacteriology*, **51**, 85–93.
- PARRY, O.T. (1980) *Bacteriophages as water pollution indicators*. Ph.D. Thesis, Liverpool Polytechnic Department of Biology.
- PAYMENT, P., FRANCO, E., RICHARDSON, L. & SIEMIATYCHI, J. (1991) Gastrointestinal health effects associated with the consumption of drinking water produced by point-of-use domestic reverse osmosis filtration units. *Applied and Environmental Microbiology*, **57**, 945–948.
- PAYMENT, P. (1991a) Elimination of coliphages, *Clostridium perfringens* and human enteric viruses during drinking water treatment: results of large-volume samplings. *Water Science and Technology*, **24**, 213–215.
- PAYMENT, P. (1991b) Fate of human enteric viruses, coliphages and *Clostridium perfringens* during drinking water treatment. *Canadian Journal of Microbiology*, **37**, 154–157.
- PECD 7/7/413 A report published by WRc entitled “Effects of storage on analysis results for the total and faecal coliform parameters”, No 3705.
- PECD 7/7/424 “The evaluation of presence-absence test-kits for coliform organisms”.
- PHLS (1953) The effect of sodium thiosulphate on the coliform and *Bacterium coli* counts of non-chlorinated water samples, by the Public Health Laboratory Service Water Subcommittee. *Journal of Hygiene*, **51**, 572–577.
- PHLS (1969) A minerals-modified glutamate medium for the enumeration of coliform organisms in water, by the Public Health Laboratory Service Standing Committee on the Bacteriological Examination of Water Supplies. *Journal of Hygiene*, **67**, 367–374.
- PHLS (1978) *Waterborne infectious disease in Britain*, by the Public Health Laboratory Service Standing Sub-Committee on the Bacteriological Examination of Water Supplies. *Journal of Hygiene*, **81**, 139–149.
- PHLS (1992) *Immunofluorescence: antigen detection techniques in diagnostic microbiology* (Editor, Caul E.O.). London, Public Health Laboratory Service.
- PHLS (1993) *Safety procedures: notes for guidance*, 4th edition. London, Public Health Laboratory Service.

- PHLS/SCA (1980a) Membrane filtration media for the enumeration of coliform organisms and *Escherichia coli* in water: comparison of Tergitol 7 and lauryl sulphate with Teepol 610, by a Joint Committee of the Public Health Laboratory Service and Standing Committee of Analysts. *Journal of Hygiene*, **85**, 181–191.
- PHLS/SCA (1980b) A comparison between minerals-modified glutamate medium and lauryl tryptose lactose broth for the enumeration of *Escherichia coli* and coliform organisms in water by the multiple tube method, by a Joint Committee of the Public Health Laboratory Service and the Standing Committee of Analysts. *Journal of Hygiene*, **85**, 35–49.
- PHLS/SCA (1980c) Single tube confirmatory tests for *Escherichia coli*, by a Joint Committee of the Public Health Laboratory Service and the Standing Committee of Analysts. *Journal of Hygiene*, **85**, 51–57.
- REASONER, D.J., & GELDREICH, E.E. (1985) A new medium for the enumeration and subculture of bacteria from potable water. *Applied and Environmental Microbiology*, **49**, 1–7.
- RESNICK, I.G., & LEVIN, M.A. (1981) Assessment of bifidobacteria as indicators of human faecal pollution. *Applied and Environmental Microbiology*, **42**, 433–438.
- RICHARDSON, A.J., FRANKENBERG, R.A., BUCK, A.C., SELKON, J.B., COLBOURNE, J.S., PARSONS, J.S. & MAYON-WHITE, R.T. (1991) An outbreak of waterborne cryptosporidiosis in Swindon and Oxfordshire. *Epidemiology and Infection*, **107**, 485–495.
- RIPPEY, S.R. & CABELLI, V.J. (1979) Membrane filter procedure for enumeration of *Aeromonas hydrophila* in fresh waters. *Applied and Environmental Microbiology*, **38**, 108–113.
- ROWBOTHAM, T.J. & CROSS, T. (1977) Ecology of *Rhodococcus coprophilus* and associated actinomycetes in freshwater and agricultural habitats. *Journal of General Microbiology*, **100**, 231–240.
- SARTORY, D.P. (1986) Membrane filtration enumeration of faecal clostridia and *Clostridium perfringens* in water. *Water Research*, **20**, 1255–1260.
- SCA (1980) Chemical disinfecting agents in water and effluents, and chlorine demand 1980, by the Standing Committee of Analysts of the Department of the Environment and the National Water Council, London, HMSO. (Methods for the Examination of Water and Associated Materials).
- SCA (1983) Methods for the isolation and identification of *Salmonellae* (other than *Salmonella typhi*) from water and associated materials 1982, by the Standing Committee of Analysts of the Department of the Environment and the National Water Council, London, HMSO. (Methods for the Examination of Water and Associated Materials).
- SCA (1989) Isolation and identification of *Giardia* cysts and *Cryptosporidium* oocysts and free living pathogenic amoebae in water 1989, by the Standing Committee of Analysts of the Department of the Environment, London, HMSO. (Methods for the Examination of Water and Associated Materials).
- SCA (1994) Methods for the isolation of human enteric viruses from water and related materials 1994, by the Standing Committee of Analysts of the Department of the Environment, London, HMSO. (Methods for the Examination of Water and Associated Materials).
- SCHIEMANN D.A. (1982) Development of a two-step enrichment procedure for recovery of *Yersinia enterocolitica* from food. *Applied and Environmental Microbiology*, **43**, 14–27.
- SHAHIDI, A. & FERGUSON, A.R. (1971) New quantitative, qualitative and confirmatory media for rapid analysing of food for *Clostridium perfringens*. *Applied Microbiology*, **21**, 500–506.
- SHORT, C.S. (1988) The Bramham incident, 1980—an outbreak of waterborne infection. *Journal of the Institution of Water and Environmental Management*, **2**, 383–390.
- SIMKOVA, A. & CERVENKA, J. (1981) Coliphages as ecological indicators of enteroviruses in various water systems. *Bulletin of the World Health Organization*, **59**, 611–618.

- SKEAT, W.O. ed. (1969) Manual of British water engineering practice, 4th edition. Vol. III. London, Heffer.
- SKIRROW, M.B. & BENJAMIN, J. (1980) Differentiation of enteropathogenic *Campylobacter*. *Journal of Clinical Pathology*, **33**, 1122.
- SLANETZ, L.W. & BARTLEY, C.H. (1957) Numbers of enterococci in water, sewage and faeces determined by the membrane filter technique with an improved medium. *Journal of Bacteriology*, **74**, 591-595.
- STENGREN, S.R. & STARZYK, M.J. (1984) A modified medium for the recovery of *Staphylococcus* from water. *Microbios*, **41**, 191-203.
- STETLER, R.E. (1984) Coliphages as indicators of enteroviruses. *Applied and Environmental Microbiology*, **48**, 668-670.
- SWAROOP, S. (1938) Numerical estimation of *B. coli* by dilution method. *Indian Journal of Medical Research*, **26**, 353-378.
- SWAROOP, S. (1951) The range of variation of the most probable number of organisms estimated by the dilution method. *Indian Journal of Medical Research*, **39**, 107-134.
- TABAQCHALI, S., STEVENS, J.K. & GAZIDES, C. (1977) Worms in hospital cold water. *Lancet*, **2**, 84-85.
- TAYLOR, W.I. & HARRIS, B. (1965) Isolation of Shigellae I. Xylose lysine agars: new media for isolation of enteric pathogens. *American Journal of Clinical Pathology*, **44**, 471-475.
- THOMAS, M.E.M., PIPER, E., & MAURER, I.M. (1972) Contamination of an operating theatre by Gram-negative bacteria. Examination of water supplies, cleaning methods and wound infections. *Journal of Hygiene*, **70**, 63-73.
- THORNLEY, M.J. (1960) The differentiation of *Pseudomonas* from other Gram negative bacteria on the basis of arginine metabolism. *Journal of Applied Bacteriology*, **73**, 37-52.
- TILLET, H.E. (1986) Reporting bacteriological counts from water samples: how good is the information from an individual sample? In: *Statistical Aspects of Water Quality Monitoring* (Editors, El-Shaarawi A.H. & Kwiatkowski R.E.). *Developments in Water Science*, Volume 27, 221-230. Amsterdam, Elsevier Science Publishers.
- TILLET, H.E. (1987) Most probable numbers of organisms: revised tables for the multiple tube method. *Epidemiology and Infection*, **99**, 471-476.
- TILLET, H.E. (1993) Potential inaccuracy of microbiological counts from routine water samples. *Water Science and Technology*, **27**, 15-18.
- TILLET, H.E. & BENTON, C. (1993) Effects of transit time on indicator organism counts from water samples. *PHLS Microbiology Digest*, **10**, 116-117. London, Public Health Laboratory Service.
- TILLET, H.E. & COLEMAN, R. (1985) Estimated numbers of bacteria in samples from non-homogeneous bodies of water: how should MPN and membrane filtration results be reported? *Journal of Applied Bacteriology*, **59**, 381-388.
- TILLET, H.E. & FARRINGTON, C.P. (1991) Inaccuracy of counts of organisms in water or other samples: effects of pre-dilution. *Letters in Applied Microbiology*, **13**, 168-170.
- VASSILIADIS, P. (1983) The Rappaport-Vassiliadis (RV) enrichment medium for the isolation of salmonellas: an overview. *Journal of Applied Bacteriology*, **54**, 69-76.
- VASSILIADIS, P., PATERAKI, E., APAICONOMU, N., PAPADAKIS, J.A. & TRI-CHOPOULOS, D. (1976) Nouveau procede d'enrichissement de *Salmonella*. *Annales de Microbiologie (Institut Pasteur)*, **127B**, 195-200.
- WAA (1984) Actions to minimise the effect of pollution incidents affecting river intakes for public water supplies. The Water Authorities' Association and the Water Companies' Association. London, Water Authorities' Association.
- WAA (1985) Guide to the microbiological implications of emergencies in the water services. London, Water Authorities' Association.

- WAA (1988) Operational guidelines for the protection of drinking water supplies: safeguards in the operation and management of public water supplies in England and Wales. London, Water Authorities' Association.
- WAITE, W.M. (1991) Drinking water standards: a personal perspective. In: Proceedings of the UK Symposium on Health-related Water Microbiology (Editors, Morris, R., Alexander, L. M., Wyn-Jones, P., and Sellwood, J.) pp52-65. London, International Association for Water Pollution Research and Control.
- WALSBY, A.E. (1975) Gas vacuoles. Annual Review of Plant Physiology, **26**, 427-439.
- WHITE, G.C. (1985) The Handbook of Chlorination, 2nd edition. New York, Van Nostrand Reinhold.
- WHO (1977) Guide to hygiene and sanitation in aviation (Editor, Baily J.). Geneva, World Health Organization.
- WHO (1984) Guidelines for Drinking Water Quality. Vol. 2, Health Criteria and Other Supporting Information. Geneva, World Health Organization.
- WHO (1993) Guidelines for Drinking Water Quality, Volume 1 Recommendations, Second edition. Geneva, World Health Organization.
- WILSON, W.J. & BLAIR, E.M.McV. (1927) Use of glucose bismuth sulphite iron medium for the isolation of *B. typhosus* and *B. proteus*. Journal of Hygiene, **26**, 374-391.
- WOODWARD, R.L. (1957) How probable is the most probable number? Journal of the American Waterworks Association, **49**, 1060-1068.
- WRIGHT D.J., CHAPMAN P.A. & SIDDON, C.A., (1994). Immunomagnetic separation as a method for isolating *Escherichia coli* 0157:H7 from food samples. Epidemiology and Infection, **113**, 31-39.
- ZADIK, P.M., CHAPMAN, P.A., & SIDDON, C.A., (1993). Use of tellurite for the selection of verocytotoxin *Escherichia coli* 0157:H7. Journal of Medical Microbiology, **39**, 155-158.

Index

A

Abattoirs—pollution from	
Absence—presence methods	71,
Absorbent pads for membrane filtration	
<i>Acanthamoeba</i>	
Accreditation of laboratory	
Accuracy of equipment calibration	
results	
probability in data confirmation	
Acid and or gas formation	23, 70–7
Acridine orange direct count, definition and method	82, 8
Actinomycetes	28, 3
Action limits	5
<i>Aeromonas</i>	19, 27, 39, 70, 7
—confirmatory tests	8
—media for	11
—methods for	8
Agar	10
—Ampicillin dextrin	85, 11
—Bile 40%	10
—Bile aesculin azide	10
—Bismuth sulphite	11
—Blood	10
—Blood-free selective	11
—Brilliant green	11
—Cefsulodin Irgasan Novobiocin	11
—Hektoen	11
—Kanamycin aesculin azide	10
—Lysine iron	11
—MacConkey	104
—Membrane Enterococcus	105
—Milk with cetrimide	110
—Modified lipovitellin salt with mannitol	117
—Modified desoxycholate citrate	117
—Nutrient	102
—Oleandomycin polymyxin sulphadiazine perfringens	107
—Preston selective	112
— <i>Pseudomonas</i>	111
—R2A	109
—Shahidi Ferguson perfringens	108
—Sorbitol MacConkey	113
—Thiosulphate citrate bile-salt sucrose	118
—Triple sugar iron	116
—Tryptose sulphite cycloserine	107
—Xylose lysine desoxycholate	115
—Yeast extract	109
Aircraft—water for	43
Air ovens	50
Algae	28, 130
Alkaline peptone water	98, 117
<i>Alona</i>	128
Andrades indicator	105
Animal faecal indicator organisms	26, 31, 131

Animalcules in supply	29, 128
Arizona	94
Asellus	129
Asparagine broth with ethanol	110
Assimilable organic carbon	36
Atmosphere for Campylobacter incubation	90
Autoclaves	50, 100
Azides	76, 105

B

Bacillus sp	76, 77
<i>Bacillus cereus</i>	19
Bacteria	19
—Coliform	38
—heterotrophic	27, 80
—iron	28
—sulphur	28
Bacterial count—estimation within a water source	52
<i>Bacteroides fragilis</i>	26
—as indicator of pollution	131
Bacteriological swabs	62
<i>Bacterium coli</i> (type 1)	23
Balances	50
<i>Balantidium coli</i>	19
Bathing water quality indicator	97
Beetles	129
Beta-galactosidase	3, 23, 70
negative testing organisms	91
Beta-glucuronidase	70
Bifido bacteria	26, 131
Bile aesculin azide agar	106
Bile agar 40%	106
Bile salt reagent	101
Bile (40%) tolerance test	77, 78
Biofilms	35, 39
Blanks	48
Blue green algae	28
<i>Bosmina</i>	129
Bottles—sample	57
Bowsers	44, 63
Brilliant green agar	91, 114
Brilliant green lactose bile broth	73, 104
Broth—Asparagine with ethanol	110
—Brilliant green lactose bile	73, 104
—Glucose azide	105
—Glucose phenolphthalein	106
—Lauryl tryptose lactose	103
—Lauryl tryptose mannitol with tryptophan	104
—MacConkey	22
—Membrane lauryl sulphate	102
—Modified Hajna G N enrichment	116
—Modified King's A	110
—Nutrient	102
—Preston enrichment	111
—Rappaport Vassiliadis enrichment	113
—Salt	107
—Selenite	114
—Urea	116
Buffered peptone water	113
Byelaws—water supply	34, 38

C

Calibration traceability of instruments	50
<i>Campylobacter</i>	19, 88
—media for	11
<i>Candida albicans</i>	26, 13
Carbol fuchsin	88
Carbon—assimilable organic	36
Catalase test	78
Catchment control	37
Cefsoludin Irgasan Novobiocin Agar	118
Cell count—total vegetative bacteria	24, 25
Centrifuges	49
Cephaloridine	83
Cetrimide	83
Charts—quality control	51
Chironimids	130
Chlorination	34, 35
of bowlers	63
—use of	32, 43
Chlorine	35
—removal from sample	58
residual analysis	33
tastes	30
Cholera	19, 38
<i>Chydorus</i>	129
<i>Citrobacter</i>	70, 94, 96
Climate effects	31
Clostridia	19
—sulphite reducing	23, 79, 107
<i>Clostridium perfringens</i>	22, 24, 25, 78
Coagulase	97
Code of good agricultural practice	31
practice for the agricultural use of sewage sludge	32
on the control of Legionellae in health care premises	42
design and installation of small sewage treatment works and cesspools	31
drink vending machines	44
Codes of safe practice	87
Coliforms	3, 22, 23, 25, 26, 36, 38, 39, 96
—faecal	25, 26, 38, 70
, presumptive	25, 39, 45, 70
—thermotolerant	70
—total	23, 24, 25, 70
Coliphages	26, 131
Colonies—confirmation of	55
—number to be subcultured	56, 57
Colony counts	24, 25, 26, 39, 80
media for	109
Combined chlorine	33
Concentration techniques	87
Confidence in confirmation of colonies intervals	55 54
Contact (chlorine) tank	39
Container labelling	59
Containers for samples	57, 63
Containment 3 class laboratory	46, 87
Contingency plans	37
Control —analytical laboratory	48, 51
Charts—quality	51
—external quality	52
—internal quality	48
Corrosion	39

Coxsackievirus	19
<i>Crangonyx</i>	128, 129
Crossley's milk medium	78, 109
Cryptosporidia	19, 24, 29, 33
Cyanobacteria	28
<i>Cyclops</i>	129
Cysts— <i>Entamoeba</i>	29
— <i>Giardia</i>	29
—protozoal	24, 29, 34, 39

D

<i>Daphnia</i>	129
Debris	35
Dehydrated media	101
<i>Diaptomus</i>	129
Diatoms	130
Differential reinforced Clostridial medium (single and double strength)	79, 108
Diluted sample	65
Diluents	65
Dip sample	59, 63
Disease outbreak	20
Dishes—Petri	100
Disinfectant—residual	33
Disinfection	34
Dissolved oxygen	36
Distilled water	101
Double strength Alkaline peptone water	98
Glucose azide broth	77, 105
<i>Dracunculus medinensis</i>	129
Drinking water testing specification	52
Drink vending machines	44
Duplicate samples	52
Durham (fermentation) tubes	100

E

Effluents	31
Egg yolk emulsion for Clostridia media	79, 107
Enrichment media—selective	87
<i>Entamoeba histolytica</i>	19, 29
Enteric bacteria	34
pathogens	19
viruses	19, 28, 34
<i>Enterobacter</i>	23, 70, 94, 96
Enterobacteriaceae	23, 70, 91
<i>Enterococcus</i>	78
<i>faecalis</i>	26
<i>faecium</i>	26
Enteroviruses	34, 39
Enumeration of indicator organisms	65, 73
Error	52
<i>Escherichia coli</i>	19, 22, 23, 37, 38, 39, 45, 65, 70
—0 157: H7	89
—media	112
External quality control	52

F

Facultative anaerobic bile salt tolerant organisms	23
Faecal animal pollution	26
coliforms	23, 26, 36, 70
Faecal flora	87
indicator organisms	22, 23, 26, 36, 70, 131
pollution indicators	26, 38, 75, 78
Filter aid	87, 119
Fleas—water	128, 130
Fluorescein	85
Fucidin	83
Fungi	28, 35

G

Galactosidase—beta	3, 23, 70
<i>Gammarus</i>	129
<i>Giardia</i>	19, 29, 40
Glassware—laboratory	51, 100
—sterilization	100
Glucose azide broth	77, 105
phenolphthalein broth	78, 106
Glucuronidase—beta	70
Glutamate medium—minerals modified	73, 102
Good laboratory practice	47
Group A <i>Aeromonas</i>	27
D antigen (Lanefields)	77
Group 3 level laboratory	47

H

<i>Hafnia</i>	70
Hektoen agar	95, 117
Hepatitis A and Hepatitis E	19
Herbivorous leaches	129
Heterotrophic bacteria	27, 80
Hot air ovens	50, 100
Hydrogen sulphide	30
Hypochlorite disinfection	43, 62

I

Imprecision	54
Inaccuracy—potential	52
Incidents	20, 33
Incubation temperatures	50
Incubators	50, 67
Indicator organisms	22, 25, 26, 38, 65
Indicator organisms—alternative	26, 131
Indole formation	23, 70, 74
reagent for	119
Inner (or Durham) fermentation tube	100
Interlaboratory comparative tests	52, 87
Internal quality control	51
Iron bacteria	28
<i>Isospora</i>	19

J

Jenkins spire shell mollusc 130

K

Kanamycin aesculin azide agar 76, 106
King's A Broth 110
Klebsiella 70, 94, 96
Kovac's reagent 74, 119

L

Labels for containers and bottles 58
Laboratory accreditation 52
 —analytical control 48
Lactose fermenting species 27, 70
 peptone water 72, 105
Lanefields Group D antigen 77
Lauryl tryptose lactose broth 73, 103
 mannitol broth with tryptophan 74, 104
Leeches 129
Legionella 20, 28, 35, 42
Limits—action 52
Lipovitellin lipase 97
 salt minnitol agar 97, 117
Listeria monocytogenes 20
Litmus milk 78, 109
Louse—water 128
Lysine iron agar 115
 slopes 91, 94

M

MacConkey agar 23, 72, 73, 74, 77, 99, 104
Management—laboratory 49
Mannitol fermentation 70, 72, 97
Media (see under specific organism and media name)
Membrane enterococcus agar 76, 105
Membrane lauryl sulphate broth 71, 102
Microscopes 51, 82
Midges 128
Milk agar with cetrimide 84, 110
Minerals modified glutamate media 73, 102
Modified buffered peptone water 89, 112
 desoxycholate citrate agar 95, 96, 117
 Hajna G N enrichment broth 95, 96, 116
 King's A broth 83, 110
 Lipovitellin salt mannitol agar 97, 117
 Sorbitol MacConkey agar 89, 113
Molluscs 128, 129
Most probable numbers 55, 69, 77, 78, 80, 88, 120–124
 range 55, 121–123
Moulds 80
Mouldy tastes 30
Mycobacterium species 28

N

<i>Naegleria fowleri</i>	
Nais	128, 1
New mains samples and sampling	
Non fluorescent polycarbonate membrane	
Norwalk-like viruses	
Nuisance organisms	55,
Number of colonies for subculturing	72, 78, 90, 95, 97, 10
Nutrient agar	9
slopes	78, 10
broth	

O

Odour	28, 39, 80, 13
Oleandomycin polymyxin sulphadiazine perfringens agar	79, 10
Oocysts	24, 3
Osmosis—reverse	35, 42, 4
Ovens—hot air	50, 100
Oxidase test	7
reagent	119
Oxygen—dissolved	36

P

Particulate matter	84
Petri dishes	100
pH	49, 101
Pipettes	50, 100
<i>Pisidium</i>	128
Plate counts (see also colony counts)	26
<i>Plesiomonas shigelloides</i>	19
Point of entry	34
use	34
Poliovirus	19
<i>Potamopyrgus jenkinsi</i>	128
Polycarbonate nonfluorescent membrane	82
Polyvalent antisera for <i>salmonella</i>	94
serum for <i>shigella</i>	96
Pour plate colony count method	81
Presence—absence test	71, 74
Preston enrichment broth	89, 90, 111
selective agar	89, 90, 112
Presumptive coliforms	25, 38, 45, 70
counts	57
<i>Proteus</i>	93, 96
<i>morganii</i>	94
<i>vulgaris</i>	94
Protozoa cysts and oocysts	24, 33, 39
<i>Providencia</i>	94
<i>Pseudomonas</i>	27, 92, 93, 96
<i>aeruginosa</i>	19, 27, 28, 39, 45, 74, 83, 84, 85, 110
agar	111
Pyocyanin	85

Q

Quality assurance	48
control—external	52
—internal	51

R

R2A agar	80, 81, 109
Rappaport Vassiliadis enrichment broth	91, 93, 113
Refrigerated storage	65
Refrigerators	50
Repli dishes	84
Replicate analyses	48
Resampling	36, 42
Residual chlorine	33
Reverse osmosis	35, 42, 44
<i>Rhodococcus coprophilus</i>	26, 131
Ringer's solution	51, 65, 78, 119
Rotaviruses	19

S

Safety	46
<i>Salmonellae</i>	19, 90
media	113
Salt broth	107
Sample bottle containers	57, 58
storage	63
bottles	100
dilution	54, 65
preparation	65, 67
Selective agar—blood free	89
—Preston	89
Selenite broth	91, 114
Septicaemia	27
<i>Serratia</i>	70
Sewer swab technique	89
Shahidi-Ferguson Perfringens agar	79, 108
<i>Shigella</i>	19, 94, 95, 96
—media	116
Slide agglutination	94
Slope cultures	94
Snails	129
Sodium azide—toxicity	70
Sorbitol	89, 90, 131
MacConkey agar	113
Spire shell mollusc (Jenkins)	128
Spread plate method for colony counts	81
<i>Staphylococcus</i>	96, 117
Statistical considerations	53
Storage	64, 101
<i>Streptobacillus moniliformis</i>	19
<i>Streptococcus bovis</i>	26
faecal	37, 38, 75, 105
Sulphite reducing clostridia	78, 107
Sulphur bacteria	28
Swab sampling	62

T

Tables of most probable numbers	120
ranges	121
Tastes	28, 39, 80, 130
Temperature control of water baths and incubators	67
Thermometers	49

Thermophilic <i>Campylobacter</i>	9
Thermotolerant coliforms	3,
Thiosulphate citrate bile salt sucrose agar	9
Total coliforms	99
Training record	72
Triphenyltetrazolinium chloride (TTC) in agar medium	24, 7
Triple sugar iron agar	
slopes	
Tris buffered peptone	
Tryptone water	
Tryptophan conversion to indole	
Tryptose sulphite cycloserine agar	
with egg yolk	
Typhoid	

U

Ultra violet light sterilization	43
Uncertainty	
Urea broth	91, 93, 99,

V

Vans—sample collection	
Vegetative organisms	
Vending machine water	
Viable count	23, 45, 80,
<i>Vibrio</i>	19, 97, 1
Viruses	19, 22,
—use of coliphages as monitor for	1
—Norwalk type	

W

Waterborne pathogens	1
Water fleas	128, 13
louse	12
supply zones	18, 3
Wild animal pollution	3
Worms	130

X

Xylose lysine desoxycholate agar	91, 93, 94, 115
--	-----------------

Y

Yeast extract agar	80, 81, 109
<i>Yersinia</i>	19, 98, 118

Address for correspondence

Correspondence about this booklet should be addressed to:

The Secretary
Standing Committee of Analysts
Department of the Environment
Drinking Water Inspectorate
Romney House
43 Marsham Street
London
SW1P 3PY



Published by HMSO and available from:

HMSO Publications Centre

(Mail, fax and telephone orders only)
PO Box 276, London, SW8 5DT
Telephone orders 0171-873 9090
General enquiries 0171-873 0011
(queuing system in operation for both numbers)
Fax orders 0171-873 8200

HMSO Bookshops

49 High Holborn, London, WC1V 6HB
(counter service only)
0171-873 0011 Fax 0171-831 1326
68-69 Bull Street, Birmingham, B4 6AD
0121-236 9696 Fax 0121-236 9699
33 Wine Street, Bristol, BS1 2BQ
0117 9264306 Fax 0117 9294515
9-21 Princess Street, Manchester, M60 8AS
0161-834 7201 Fax 0161-833 0634
16 Arthur Street, Belfast, BT1 4GD
01232 238451 Fax 01232 235401
71 Lothian Road, Edinburgh, EH3 9AZ
0131-228 4181 Fax 0131-229 2734

HMSO's Accredited Agents

(see Yellow Pages)

and through good booksellers

£25 net

ISBN 0-11-753010-7



9 780117 530102

HMSO